



Product Specifications for EP96075-92AL

Job Name:	Job Type:
Quantity:	Comments:



EP96075-92AL
Clipp 1-Light RapidJack Pendant

Finish

Brushed Aluminum

Glass/Shade

Product Category

RapidJack Pendant

Lamping

Number of Bulb(s)	1
Light Type	Xenon
Bulb Type	12V G4
Max Bulb Wattage	20
Max Fixture Wattage	20
Rated Life	±2,000 Hours
Rated Lumens	±320
Color Temp	±2,900 K
Bulb(s) Included	Yes
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	Low-Voltage

Measurements

Width	5.00"
Height	5.00"
Length	N/A
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
HCO	N/A
Min Overall Height	N/A
Max Overall Height	N/A
Hanging Weight	0.40 lb(s)
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	120.00"
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

Shipping

Carton Weight	0.78 lb(s)
Carton Width	5.52"
Carton Height	5.52"
Carton Length	5.52"
Carton Cubic Feet	N/A
Master Pack	25
Master Pack Weight	22.44 lb(s)
Master Pack Width	29.85"
Master Pack Height	6.28"
Master Pack Length	29.85"
Master Cubic Feet	N/A
UPS Shippable	Yes

Certification

UL Standard	Dry
Energy Star	No
CA Title 24	No
CA Title 20	No
ADA	No

Other

UPC Code	845094052852
Material	N/A

Equivalents

Incandescent Watts	N/A
Fluorescent Watts	N/A

ET2 Contemporary Lighting and all designs, logos and images © 2012 ET2 Contemporary Lighting. All Rights Reserved. ET2 Contemporary Lighting reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Products are subject to revision in design and/or construction to conform to changes in UL and/or CSA and/or ETL standards, or that which may be required by law or availability of material. ET2 Contemporary Lighting products are UL, ETL or CSA approved. Color may vary from what is pictured above due to limitations inherent to photographic processes. Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.